

ACCREDITATIONS



VOL-II

DURAGRES
Timeless Elegance

SOMANY
TILES | BATHWARE

ZAMEEN SE JUDEY



SOMANY

Somany Ceramics Limited : Noida: F-36, Sector-6; Ph.: 0120-4627900.

Ahmedabad: 601 TO 606, 6th Floor, Alps Euphoria, Opp. Adani CNG Pump, B/S. Gota Flyover, S G Highway, AHMEDABAD – 382481

Mobile Landline: 7303597773 & 7303597774

Registered office: 2, Red Cross Place, Kolkata- 700001, Ph: (033) 224874006/5913.

www.somanyceramics.com | e-mail marketing@somanyceramics.com

Toll Free No. 1800-103-0004 (Timing-10:00am to 6:30pm; Mon-Fri)



Visit us at:
www.somanyceramics.com



Find us at:
www.facebook.com/SomanyCeramic



Find us at:
www.instagram.com/SomanyCeramics



SPL/SOM/DURAGRES/MASTER-VOL-2/CAT/10-23/3K/C&N

UNIT 1 NORTH ZONE/EAST ZONE

DURAGRES PORTFOLIO 2023

GLAZED
VITRIFIED
TILES
COLLECTION



Who we are

With a humble beginning in 1969, Somany Ceramics Limited has been a front-runner serving millions of customers worldwide. Riding high on Late Shri H. L. Somany's dream, the company not only achieved unparalleled success, but also established its presence as an unchallenged leader in the Indian tiles sector.

Catering to the needs of its esteemed customers, Somany has always tried to relentlessly set benchmarks and create trends in home interior segment. Brand Somany has captured the memories of millions of its customers in their joy and emotions, and the brand love it enjoys is its true testimony.

Somany Ceramics has 11 manufacturing facilities spread across India, catering to the domestic as well as international demand. It has cemented its position in the industry as the producer of highest quality of ceramic glazed tiles, vitrified tiles, sanitary ware or porcelain floor tiles. Somany started off with a clear distinctive position, that of being innovative, distinctive and close to its customers.

To sustain a dream of such a magnitude, it is always important to stay ahead of the time. This truth, realized by Late Shri H.L. Somany is still being executed through continuous innovation, ignited with a passion of excellence.

With Late Shri H. L. Somany as Founder, Shri Shreekant Somany as the CMD and Shri Abhishek Somany as the MD and CEO, the company is heading towards an unprecedented expansion and growth.





Tiles for every Corner

Somany Ceramics uses advanced manufacturing techniques and state-of-the-art technology to produce tiles that meet international quality standards. This unique collection of tiles brings together the unique combination of strength, durability and variety that adds an everlasting touch of luxurious finesse to the interiors.

One of the things that sets Somany Ceramics apart is our commitment to both style and quality. Our tiles are available in a wide range of colours, patterns, and finishes, so you can choose the perfect option to complement your unique sense of style. Crafted through extensive research, these tiles provide exquisite designs and fit. The range is extensive including Lucido, Dazzle, Metal, Wood et all providing choices inspired by nature, contemporary design or classic timeless design, we have something for everyone.

But we know that looks aren't everything - which is why we also prioritize durability and longevity. Our tiles are made to withstand the wear and tear of everyday life, whether you have kids running around, pets scratching at the floor, or just a lot of foot traffic in your home. You can trust that our tiles will continue to look great for years to come, making them a smart investment in your home's value.

CONTENTS

01 600X1200MM

71 600X600MM

111 300X300MM

119 196X1200MM


FINISHING TOUCH.



LUCIDO FINISH



FULL NANO POLISHED



LAPATO FINISH




DAZZLE FINISH



ENGRAVO MATT FINISH



WOOD FINISH




RUSTIC FINISH



STONE FINISH

INSIDE PAGE GUIDE



*Scan QR codes for 360-degree views on our fast-moving sku.



600X1200MM

SATIN/RUSTIC/WOOD/FULL POLISHED/MATT/LUCIDO/STONE/VELVET






- WATER ABSORPTION
Av. E ≤ 0.08%
- WEATHER RESISTANCE
- CHEMICAL RESISTANCE
- MOR
[Min. 32 N/mm²]
- INTERIOR
- EXTERIOR

FINISH
LUCIDO

ABRASION RESISTANCE
GROUP 3

CATEGORY
LUCIDO

LUCIDO



GRANDE LUCIDO ARGUS BLACK FP

V3



Lapato



LEVIGATO HOWARD NERO - 600X600MM

MATCHING FLOOR

600x1200MM

CUTTING OPTIONS



02 W/ Box Area: 1.44 m²



2PCS
600x600MM




3PCS
200x1200MM



FLOOR WALL

LUCIDO



GRANDE LUCIDO PORTORO GOLD FP

V3





LUCIDO



GRANDE LUCIDO TIGNER NERO FP

V3




GRANDE LUCIDO EMPERADOR BRONZE FP

V4



GRANDE LUCIDO SEVERUS CAFE

V4



GRANDE LUCIDO TELEDOS BLUE

V4




600x1200MM



CUTTING OPTIONS






FINISH
LUCIDO

ABRASION RESISTANCE
GROUP 3

CATEGORY
LUCIDO

LUCIDO




GRANDE LUCIDO TELENOS BLACK V4





600x1200MM



02 N/Box Area: 1.44 m²

CUTTING OPTIONS



2PCS

600x600MM



3PCS

200x1200MM




FINISH
FULL NANO POLISHED

ABRASION RESISTANCE
GROUP 3

CATEGORY
DIAMOND

ENDLESS SERIES- FULL POLISHED

NEW ARRIVAL



GRANDE EL BERNIE LIGHT GREY FP

V4



FLOOR WALL


ENDLESS SERIES- FULL POLISHED

ENDLESS SERIES- FULL POLISHED



GRANDE EL LUMNEZIA BROWN FP

V3




GRANDE EL LUMNEZIA BEIGE FP

V3



GRANDE EL LUMNEZIA DARK GREY FP

V3



GRANDE EL LUMNEZIA LIGHT GREY FP

V3

600x1200MM



02 N/ Box Area: 1.44 m²

CUTTING OPTIONS



2PCS

600x600MM



3PCS

200x1200MM



FLOOR WALL

ENDLESS SERIES- FULL POLISHED

NEW ARRIVAL



GRANDE EL MONTEREY DARK GREY FP


V3

600x1200MM




02 N/Box Area: 1.44 m²

CUTTING OPTIONS



2PCS
600x600MM




3PCS
200x1200MM



FLOOR WALL


ENDLESS SERIES- FULL POLISHED

NEW ARRIVAL




V3

NEW ARRIVAL



V3

NEW ARRIVAL



V3

NEW ARRIVAL



V4

ENDLESS SERIES- FULL POLISHED

600x1200MM



02 N/ Box Area: 1.44 m²

CUTTING OPTIONS



2PCS

600x600MM




3PCS

200x1200MM




FLOOR WALL



ENDLESS SERIES- FULL POLISHED

NEW ARRIVAL



GRANDE EL ROVEN CALACATTA FP V4



600x1200MM
02 N / Box
Area: 1.44 m²

CUTTING OPTIONS

2PCS
600x600MM

3PCS
200x1200MM





FINISH
SATIN POLISH

ABRASION RESISTANCE
GROUP 3

CATEGORY
GOLD SATIN


SATIN POLISH




GRANDE ARENISCA GREY SATIN V2



GRANDE ARENISCA MIST V2





FINISH: FULL NANO POLISHED
 ABRASION RESISTANCE: GROUP 3
 CATEGORY: DIAMOND PREMIUM

stylos



GRANDE STYLOS PREXURY SKY BLUE V3



GRANDE STYLOS PREXURY SKY BLUE DECOR V1



600x1200MM
 02 N/Box Area: 1.44 m²


CUTTING OPTIONS
 2PCS 600x600MM
 3PCS 200x1200MM





600x1200MM

CUTTING OPTIONS



02 N/Box Area: 1.44 m²




FINISH
FULL NANO POLISHED

ABRASION RESISTANCE
GROUP 3


CATEGORY
DIAMOND PREMIUM

stylos




GRANDE STYLOS ALONZA BOTTICHINO FP

V3



GRANDE STYLOS VETRI GOLD

V4




GRANDE STYLOS ARAUCO VEINS

V3






600x1200MM




02 N/Box Area: 1.44 m²


CUTTING OPTIONS



2PCS
600x600MM



3PCS
200x1200MM




FINISH: FULL NANO POLISHED
 ABRASION RESISTANCE: GROUP 3
 CATEGORY: DIAMOND PREMIUM

stylos



GRANDE STYLOS ARLES MARFIL FP

V3



GRANDE STYLOS ARLES CAFE FP

V3




FLOOR WALL

styl|os
LATEST WALL TILES CONCEPT



CHROMA BIANCO




GRANDE STYLOS CREOS CREMA FP

V4



SCAN FOR
360°
VIEW



GS CRAYON BIANCO VC



GRANDE STYLOS CREOS BROWN FP

V4



SCAN FOR
360°
VIEW

MATCHING FLOOR

600x1200MM



02 N/ Box Area: 1.44 m²

CUTTING OPTIONS



2PCS
600x600MM



3PCS
200x1200MM

styl|os
LATEST WALL TILES CONCEPT



GRANDE STYLOS CREOS GREY DECOR A FP

V2



SCAN FOR
360°
VIEW



GRANDE STYLOS CREOS GREY DECOR B FP

V2



SCAN FOR
360°
VIEW




GRANDE STYLOS CREOS GREY LIGHT FP

V4



SCAN FOR
360°
VIEW



GRANDE STYLOS CREOS GREY DARK FP


V4



SCAN FOR
360°
VIEW



600x1200MM
 CUTTING OPTIONS
 2PCS 600x600MM
 3PCS 200x1200MM
 02 N/Box Area: 1.44 m²




FINISH: FULL NANO POLISHED
 ABRASION RESISTANCE: GROUP 3
 CATEGORY: DIAMOND PREMIUM

stylos



GRANDE STYLOS OTTONE DECOR FP V1



GRANDE STYLOS OTTONE CREMA FP V3



GRANDE STYLOS OTTONE BROWN FP V3



stylos



GRANDE STYLOS FLAVIO STATUARIO FP

V4



GRANDE STYLOS LOIREN CALACATTA FP

V4

600x1200MM



02 N/Box Area: 1.44 m²

CUTTING OPTIONS



2PCS

600x600MM



3PCS

200x1200MM

stylos



GRANDE STYLOS ROSETA CREMA FP

V3









GRANDE STYLOS ROSETA GOLD FP

V3



FLOOR WALL



- 
 WATER ABSORPTION
Av. E ≤ 0.08%
- 
 WEATHER
 RESISTANCE
- 
 CHEMICAL
 RESISTANCE
- 
 MOR
[Min. 32 N/mm²]
- 
 INTERIOR
- 
 EXTERIOR


FINISH FULL NANO POLISHED
 ABRASION RESISTANCE GROUP 3
 CATEGORY DIAMOND PREMIUM

stylos
CONCRETE WALL TILES CONCEPT



GRANDE STYLOS NEO ROSETA GREY DECOR FP

V1



GRANDE STYLOS ROSETA LIGHT GREY FP

V3



GRANDE STYLOS ROSETA DARK GREY FP

V3

600x1200MM

CUTTING OPTIONS




stylos
CARRARA WALL TILES CONCEPT



GRANDE STYLOS VETRO CARRARA FP


V4

600x1200MM




02 N/ Box Area: 1.44 m²

CUTTING OPTIONS



2PCS
600x600MM



3PCS
200x1200MM



FLOOR WALL

VALOR



NEW ARRIVAL



GRANDE VALOR ALIDA CREMA FP

V4


NEW ARRIVAL



GRANDE VALOR ALIDA LIGHT GREY FP

V4


NEW ARRIVAL



GRANDE VALOR ALIDA CAFE FP

V4

NEW ARRIVAL



GRANDE VALOR ALIDA DARK GREY FP

V4

600x1200MM
02 N/ Box Area: 1.44 m²

CUTTING OPTIONS

2PCS 600x600MM

3PCS 200x1200MM





600x1200MM




CUTTING OPTIONS



02 N/ Box Area: 1.44 m²

2 PCS 600x600MM

3 PCS 200x1200MM



FINISH
FULL NANO POLISHED

ABRASION RESISTANCE
GROUP 3

CATEGORY
DIAMOND

VALOR



GRANDE VALOR CLASSIC ARMANI GREY LIGHT FP

V3



GRANDE VALOR DUMO BLUE DARK FP

V3



GRANDE VALOR CLASSIC ARMANI GREY DARK FP

V3




GRANDE VALOR DUMO BLUE LIGHT FP

V3



FLOOR WALL

VALOR




V3



V3



V3



V3



600x1200MM



02 N/ Box Area: 1.44 m²

CUTTING OPTIONS



2PCS
600x600MM



3PCS
200x1200MM

VALOR


NEW ARRIVAL



V4



V3




V3




FLOOR WALL

VALOR




GRANDE VALOR VELETA BROWN FP V3



GRANDE VALOR VELETA GREY DARK FP V3



GRANDE VALOR VELETA CREMA FP V3



GRANDE VALOR VELETA GREY LIGHT FP V3



600x1200MM

CUTTING OPTIONS

2PCS 600x600MM

3PCS 200x1200MM


02 N/ Box Area: 1.44 m²

VALOR



GRANDE VALOR PRIMA PERLA ONYX FP

V3



GRANDE VALOR SEVERUS MARFIL FP

V4

600x1200MM



02 N/ Box Area: 1.44 m²

CUTTING OPTIONS



2 PCS

600x600MM



3 PCS

200x1200MM

VALOR



GRANDE VALOR STATUARIO SELECT FP

V4



GRANDE VALOR TRAVERTINO CAFE FP

V3



GRANDE VALOR TRAVERTINO MARFIL FP

V3



FLOOR WALL



600x1200MM
 02 N/Box Area: 1.44 m²

CUTTING OPTIONS

2PCS
 600x600MM


3PCS
 200x1200MM

						FINISH	ABRASION RESISTANCE	CATEGORY	DURAGRES Timeless Elegance
WATER ABSORPTION Av. E ≤ 0.08%	WEATHER RESISTANCE	CHEMICAL RESISTANCE	MOR [Min. 32 N/mm ²]	INTERIOR	EXTERIOR	FULL NANO POLISHED	GROUP 3	LUCIDO/DIAMOND	

INVERSO



GRANDE LUCIDO BLUE RIPPLE FP A,B V1



GRANDE LUCIDO WAVELATE FP A,B V1



FULL POLISHED




GRANDE GEMSTONE AQUA FP

V3



GRANDE GEMSTONE HONEY FP

V3



GRANDE GLACIER WHITE FP

V1

600x1200MM



02 N/ Box Area: 1.44 m²

CUTTING OPTIONS



2 PCS

600x600MM



3 PCS

200x1200MM

FULL POLISHED



GRANDE BEACH LIGHT FP

V3



GRANDE BRILLAR LIGHT FP

V3



GRANDE BRILLAR DARK FP

V3

FULL POLISHED




GRANDE BOTTOCHINO NEXT BEIGE FP

V3



GRANDE BOTTOCHINO NEXT CREMA FP

V3



GRANDE CALCUTTA WHITE FP

V4



GRANDE CARRARA FP

V3

600x1200MM



02 N/ Box Area: 1.44 m²

CUTTING OPTIONS



2PCS
600x600MM



3PCS
200x1200MM

FULL POLISHED



GRANDE DAINO BEIGE FP

V3



GRANDE DAINO GREY FP

V3




GRANDE ROSSO PEZZATO FP

V3




600x1200MM




02 N/Box Area: 1.44 m²

CUTTING OPTIONS



2PCS
600x600MM



3PCS
200x1200MM

- WATER ABSORPTION
 Av. E ≤ 0.08%
- WEATHER RESISTANCE
- CHEMICAL RESISTANCE
- MOR
 [Min. 32 N/mm²]
- INTERIOR
- EXTERIOR

- FINISH
 FULL NANO POLISHED
- ABRASION RESISTANCE
 GROUP 3
- CATEGORY
 DIAMOND


FULL POLISHED



GRANDE CLAUDIA WHITE FP V2



GRANDE RAINFOREST GREY FP V3



GRANDE STATURIO FP V3




GRANDE TRAVERTINO NEXT CREMA FP V2



FLOOR WALL



600x1200MM




CUTTING OPTIONS



02 N/ Box Area: 1.44 m²

2PCS 600x600MM

3PCS 200x1200MM



FINISH
MATT/ENGRAVO

ABRASION RESISTANCE
GROUP 5

CATEGORY
GOLD IMPRESSION

ENGRAVO



GRANDE IMP TEMPUS BEIGE

V2



GRANDE IMP NANTES GOLD

V4



GRANDE IMP CARNIA GOLD

V3




FLOOR WALL




600x1200MM


CUTTING OPTIONS




02 N/Box Area: 1.44 m²



2PCS
600x600MM



3PCS
200x1200MM



FINISH: MATT/ENGRAVO
 ABRASION RESISTANCE: GROUP 5
 CATEGORY: GOLD IMPRESSION

ENGRAVO



GRANDE IMP OPHELIA BEIGE

V3



GRANDE IMP GORBEA WHITE

V3




GRANDE IMP INTRUSION WHITE


V4



FLOOR WALL




ENGRAVO




GRANDE IMP CORNICE GREY V3



GRANDE IMP TRAESA GOLD V3




GRANDE IMP TRAESA VERDE V3



GRANDE IMP CAVALETO GREY V4




GRANDE IMP VORNOF METAL V4





600x1200MM




02 N/ Box Area: 1.44 m²

CUTTING OPTIONS



2PCS
600x600MM




3PCS
200x1200MM

- WATER ABSORPTION
Av. E ≤ 0.08%
- WEATHER
 RESISTANCE
- CHEMICAL
 RESISTANCE
- MOR
[Min. 32 N/mm²]
- INTERIOR
- EXTERIOR

FINISH
MATT/VC

ABRASION RESISTANCE
VC (25K REV. PASSED)

CATEGORY
GOLD PLUS PRO



GRANDE GS CAVIAR BEIGE LIGHT VC


V3



GRANDE GS ESCARA GREY LIGHT VC

V3






GRANDE GS BEZONS GREY LIGHT VC V3



GRANDE GS BEZONS GREY DARK VC V3



GRANDE LECCO CREMA VC V1



GRANDE LECCO LIGHT GREY VC V1



GRANDE LECCO GREY VC V1





- WATER ABSORPTION
Av. E ≤ 0.08%
- WEATHER RESISTANCE
- CHEMICAL RESISTANCE
- MOR
[Min. 32 N/mm²]
- INTERIOR
- EXTERIOR

FINISH
WOOD

ABRASION RESISTANCE
GROUP 5

CATEGORY
GOLD/GOLD PREMIUM



GRANDE CELLO WOOD NATURAL

V3



GRANDE BURL WOOD BRICH


V4



GRANDE BURL WOOD TEAK

V4

600x1200MM



02 N/Box Area: 1.44 m²

CUTTING OPTIONS




2PCS
600x600MM



3PCS
200x1200MM



FLOOR WALL



FINISH
HDR STONE

ABRASION RESISTANCE
GROUP 5

CATEGORY
GOLD PREMIUM



GRANDE LAVA BEIGE

V4



GRANDE LAVA NATURAL

V4



GRANDE PEGASUS CREMA

V3



GRANDE PEGASUS GREY LIGHT

V3

600x1200MM



02 N/Box Area: 1.44 m²

CUTTING OPTIONS



2PCS

600x600MM









3PCS

200x1200MM





- 
WATER ABSORPTION
Av. E ≤ 0.08%
- 
WEATHER
RESISTANCE
- 
CHEMICAL
RESISTANCE
- 
MOR
[Min. 32 N/mm²]
- 
INTERIOR
- 
EXTERIOR

FINISH
RUSTIC

ABRASION RESISTANCE
GROUP 5

CATEGORY
GOLD




GRANDE CEMENTOR GREY



SCAN FOR
360°
VIEW

V3



GRANDE SLATE STATUARIO 01



SCAN FOR
360°
VIEW

V3

600x1200MM

02 N/Box Area: 1.44 m²

CUTTING OPTIONS

2 PCS 600x600MM

3 PCS 200x1200MM






600X600MM

LAPATO/RUSTIC/WOOD/FULL POLISHED/MATT/LUCIDO/STONE






FINISH
LUCIDO

ABRASION RESISTANCE
GROUP 3

CATEGORY
LUCIDO

LUCIDO



LUCIDO EMPERADOR BRONCE FP V3

600x600MM CUTTING OPTIONS







4 N/Box Area: 1.44 m²

4PCS 300x300MM

4PCS 150x600MM






- 
 WATER ABSORPTION
Av. E ≤ 0.08%
- 
 WEATHER
 RESISTANCE
- 
 CHEMICAL
 RESISTANCE
- 
 MOR
[Min. 32 N/mm²]
- 
 INTERIOR
- 
 EXTERIOR

FINISH ABRASION RESISTANCE CATEGORY
 FULL NANO POLISHED GROUP 3 DIAMOND




VALOR



VALOR MARAIS GREY FP


V1

600x600MM | CUTTING OPTIONS

 4 N/Box <small>Area: 1.44 m²</small>	 4 PCS 300x300MM	 4 PCS 150x600MM
--	---	---



VALOR



VALOR ONYX BLUE FP

V1

VALOR



VALOR ONYX DIANO FP


V1

600x600MM

CUTTING OPTIONS




VALOR



VALOR PRIMA CALCATUX WHITE FP

V1

VALOR




VALOR PRIMA ELEGANSO GOLD FP

V1



VALOR PRIMA ONIXERA CREMA FP

V1




FINISH
FULL NANO POLISHED


ABRASION RESISTANCE
GROUP 3

CATEGORY
DIAMOND

FULL POLISHED




ALBASTRO HONEY FP V3



CALCUTTA WHITE FP V4




CELINO DARK FP V2



CELINO LIGHT FP V2



LARSEN WHITE FP V4



DAINO BEIGE FP V3


600x600MM | CUTTING OPTIONS

4 W/ Box
Area: 1.44 m²


4PCS 300x300MM | 4PCS 150x600MM



FULL POLISHED



EMERALD MINT FP V4



GLACIER WHITE FP V0



IMPERIAL DIANO BEIGE FP V4




IMPERIAL DIANO GREY FP V3




KARNIS GREY LIGHT FP V4




MYRA ROSE FP V4



MYRA DARK FP V4



PRIME BOTTICINO BROWN FP V3




ROSSALIA FP V3



SEGESTA BIANCO FP V4



SEGESTA GOLD FP V4



STATUARIO FP V4

600x600MM

CUTTING OPTIONS



4 N./Box
Area: 1.44 m²



4PCS
300x300MM



4PCS
150x600MM



FLOOR WALL



- WATER ABSORPTION
Av. E ≤ 0.08%
- WEATHER RESISTANCE
- CHEMICAL RESISTANCE
- MOR
[Min. 32 N/mm²]
- INTERIOR
- EXTERIOR

FINISH
LAPATO

ABRASION RESISTANCE
GROUP 3


CATEGORY
DIAMOND



LEVIGATO HOWARD BIANCO V1



LEVIGATO HOWARD NERO V1



LEVIGATO LAMBERT AZURE V1



LEVIGATO LAMBERT BROWN V1



LEVIGATO LAMBERT CREMA V1



LEVIGATO PLAZO BIANCO SP V1



LEVIGATO PLAZO GREPHITE SP V1

600x600MM
CUTTING OPTIONS
4 N/Box
Area: 1.44 m²
4PCS 300x300MM
4PCS 150x600MM





600x600MM CUTTING OPTIONS
 4 W/ Box Area: 1.44 m²
 4PCS 300x300MM
 4PCS 150x600MM

- WATER ABSORPTION Av. E ≤ 0.08%
- WEATHER RESISTANCE
- CHEMICAL RESISTANCE
- MOR [Min. 32 N/mm²]
- INTERIOR
- EXTERIOR

FINISH: MATT
 ABRASION RESISTANCE: GROUP 5
 CATEGORY: GOLD MOROCCAN

ENGRAVO



MOROCCAN MARTIN FUSION V1



MOROCCAN ALEAH FUSION V1



MOROCCAN CADIN FUSION V1









MOROCCAN IDRIS GREY V1



MOROCCAN TIZNIT BIANCO V1






- 
WATER ABSORPTION
Av. E ≤ 0.08%
- 
WEATHER RESISTANCE
- 
CHEMICAL RESISTANCE
- 
MOR
[Min. 32 N/mm²]
- 
INTERIOR
- 
EXTERIOR

FINISH
MATT

ABRASION RESISTANCE
GROUP 5

CATEGORY
GOLD IMPRESSION

ENGRAVO



IMP ANTONIA BIANCO V4



IMP ANTONIA GREY V4



IMP LINUS CALACUTTA V4



IMP OPHELIA BEIGE V3



IMP TERISTA CAFÉ V3



IMP TERISTA PERLA V3

600x600MM | CUTTING OPTIONS


4 N/Box Area: 1.44 m ²	4PCS 300x300MM	4PCS 150x600MM
--------------------------------------	-------------------	-------------------





600x600MM CUTTING OPTIONS

4 M/Box Area: 1.44 m ²	4PCS 300x300MM	4PCS 150x600MM
--------------------------------------	-------------------	-------------------



FINISH: MATT/WOOD
 ABRASION RESISTANCE: GROUP 5
 CATEGORY: GOLD PLUS

VALOR



VALOR SALERNO WOOD MAHOGNY V4






600x600MM | CUTTING OPTIONS

4 N/Box
Area: 1.44 m²

4PCS
300x300MM

4PCS
150x600MM



FINISH: WOOD

ABRASION RESISTANCE: GROUP 5

CATEGORY: GOLD/GOLD PLUS



WOOD SCAPE TEAK V4




CAMARU CEDAR V3




HECTOR WOOD TEAK V3



MADERA WOOD V4



REAL WOOD MAHOGANY V3



REAL WOOD PINE V3




REAL WOOD TEAK V3





600x600MM

CUTTING OPTIONS



FINISH
STONE

ABRASION RESISTANCE
GROUP 5


CATEGORY
GOLD PLUS/PREMIUM



LAVA BEIGE



V4




LAVA NATURAL



V4





ARABESQUE CREMA V1



DECOR ARABESQUE CREMA V1



PEGASUS GREY DARK V4



PEGASUS GREY LIGHT V4



PEGASUS BEIGE V4



PEGASUS CREMA V4



SEUL BEIGE V4



SEUL BROWN V4



600x600MM

CUTTING OPTIONS




4 W/ Box
Area: 1.44 m²



4PCS
300x300MM



4PCS
150x600MM



FINISH
RUSTIC

ABRASION RESISTANCE
GROUP 5

CATEGORY
GOLD PREMIUM



PIZARRA BEIGE V1



SCAN FOR
360°
VIEW



PIZARRA BIANCO V1



SCAN FOR
360°
VIEW



PIZARRA BROWN V1



SCAN FOR
360°
VIEW



PORTLAND GRIS V1



SCAN FOR
360°
VIEW




PORTLAND BIANCO V1



SCAN FOR
360°
VIEW



PORTLAND NERO V1



SCAN FOR
360°
VIEW



FLOOR WALL


TERRAZZO SERIES



ETHOS BEIGE V3



ETHOS COTTO V3




ETHOS GRAPHITO V3



ETHOS GREY V3



TERRAZZO ETON BEIGE V1



TERRAZZO ETON BIANCO V1



TERRAZZO MORLEY GREY V1

600x600MM | CUTTING OPTIONS
 4 N/Box Area: 1.44 m²
 4PCS 300x300MM | 4PCS 150x600MM











600x600MM CUTTING OPTIONS

4 W/ Box
Area: 1.44 m²

4 PCS
300x300MM

4 PCS
150x600MM

- 
WATER ABSORPTION
Av. E ≤ 0.08%
- 
WEATHER RESISTANCE
- 
CHEMICAL RESISTANCE
- 
MOR
[Min. 32 N/mm²]
- 
INTERIOR
- 
EXTERIOR


FINISH
MATT

ABRASION RESISTANCE
VC (25K REV. PASSED)

CATEGORY
GOLD PLUS PRO



GS DAINO BEIGE VC V3



GS DELMON BEIGE VC V1



GS DELMON GREY VC V1



GS ESCARA BEIGE VC V3



GS ESCARA GREY DARK VC V3



GS ESCARA GREY LIGHT VC V3



WATER ABSORPTION
Av. E ≤ 0.08%
 WEATHER RESISTANCE
 CHEMICAL RESISTANCE
 MOR
[Min. 32 N/mm²]
 INTERIOR
 EXTERIOR

FINISH
MATT

ABRASION RESISTANCE
VC (25K REV. PASSED)

CATEGORY
GOLD PLUS PRO




GS MONTANA BIANCA VC V1



GS MONTANA GREY VC V1




GS LIVING STONE CREMA VC V3



GS SEGESTA BIANCA VC V4



GS SEGESTA GOLD VC V4




GS LARSEN WHITE VC V4



GS CRAYON BIANCO VC V1



GS SOLIDO CEMENT GREY VC V0



GS SOLIDO CREMA VC V0



GS SOLIDO WHITE VC V0

600x600MM | CUTTING OPTIONS







4 N/Box
Area: 1.44 m²
 4PCS 300x300MM
 4PCS 150x600MM

FLOOR
 WALL
 AWARDED Superbrands 2023-24
Consumer Value



600x600MM
4 N/Box
Area: 1.44 m²

CUTTING OPTIONS
4PCS 300x300MM
4PCS 150x600MM

- 
WATER ABSORPTION
Av. E ≤ 0.08%
- 
WEATHER RESISTANCE
- 
CHEMICAL RESISTANCE
- 
MOR
[Min. 32 N/mm²]
- 
INTERIOR
- 
EXTERIOR

FINISH
MATT

ABRASION RESISTANCE
VC (25K REV. PASSED)

CATEGORY
GOLD PLUS
SILVERPLUS



CHROMA BIANCO V1




SCAN FOR
360°
VIEW



CHROMA GRIS V1



SCAN FOR
360°
VIEW



CRAYON NEGRO V1



SCAN FOR
360°
VIEW



RANGER BEIGE V1



SCAN FOR
360°
VIEW



RANGER GRIS V1



SCAN FOR
360°
VIEW




FLOOR WALL





600x600MM

CUTTING OPTIONS



FINISH
MATT

ABRASION RESISTANCE
VC (25K REV. PASSED)


CATEGORY
GOLD/GOLD PLUS
SILVER PLUS



PLAZO GRAPHITE V1



PLAZO BEIGE V1



PLAZO BIANCO V1

SOLIDO SERIES



SOLIDO NERO V0



DURAGRES
SLIM 8MM



300X300MM


RUSTIC/WOOD/MATT/STONE



SOMANY
DURAGRES
Timeless Elegance



300x300MM
10 N/Box
Area: 0.90 m²



FINISH: MATT
ABRASION RESISTANCE: GROUP 5
CATEGORY: GOLD



DURAGRES
SLIM 8MM



300x300MM

10 W/Box
Area: 0.90 m²



SOMANY
DURAGRES
Timeless Elegance




DURAGRES
SLIM 8MM



300x300MM

10 N./Box
Area: 0.90 m²



FINISH
ANTISKID

ABRASION RESISTANCE
GROUP 5

CATEGORY
GOLD

SOMANY
DURAGRES
Timeless Elegance



VIBE PIEDRAS BROWN



VIBE MACERA CREMA



VIBE MACERA OLIVE



VIBE MACERA BIANCO



VIBE MACERA GREY



VIBE CAVA GREY DARK



VIBE CLIFF MARFIL




VIBE ESTILO BIANCO




VIBE GRIZZLY LIGHT



VIBE LAURENZA LIGHT



VIBE LAVINA BIANCO




VIBE MATERA DARK



VIBE ORLIN SUPER WHITE



Planks



196X1200MM

RUSTIC/WOOD/MATT/STONE/DAZZLE



SOMANY
DURAGRES
Timeless Elegance

Planks



196x1200MM
0.4 N/Box Area: 0.94 m²

- WATER ABSORPTION
Av. E ≤ 0.08%
- WEATHER RESISTANCE
- CHEMICAL RESISTANCE
- MOR
(Min. 32 N/mm²)
- INTERIOR
- EXTERIOR

FINISH
DAZZLE

ABRASION RESISTANCE
GROUP 5

CATEGORY
DAZZLE COLLECTION

SOMANY
DURAGRES
Timeless Elegance



STRIO DAZZLE MOHAWK WOOD TEAK

V3



STRIO DAZZLE PECAN WOOD NATURAL

V4




FLOOR



196x1200MM

0.4 m² / Box Area: 0.94 m²



FINISH
MATT

ABRASION RESISTANCE
GROUP 5

CATEGORY
CARVING WOOD
COLLECTION

CARVING WOOD COLLECTION

NEW ARRIVAL



STRIO IMP ABBEY WOOD HAYA

V4

NEW ARRIVAL



STRIO IMP ENTICE WOOD ROJO

V4

NEW ARRIVAL



STRIO IMP LAOS WOOD NATURAL

V4

NEW ARRIVAL



STRIO IMP OLARIA WOOD PINE

V4

NEW ARRIVAL



STRIO IMP JINKOH WOOD NATURAL A & B

V4

NEW ARRIVAL



STRIO IMP WILDER WOOD ROBBLE A & B

V4

NEW ARRIVAL



STRIO NEWPORT WOOD

V4/ CARVING MATT



Planks



196x1200MM
04 N/ Box Area: 0.94 m²

- WATER ABSORPTION
Av. E ≤ 0.08%
- WEATHER RESISTANCE
- CHEMICAL RESISTANCE
- MOR
[Min. 32 N/mm²]
- INTERIOR
- EXTERIOR

FINISH
MATT

ABRASION RESISTANCE
GROUP 5

CATEGORY
EXOTIC WOOD
COLLECTION

SOMANY
DURAGRES
Timeless Elegance

EXOTIC WOOD



STRIO AKIO WOOD ROBBLE

V4



STRIO BENZ WOOD ROBBLE

V3



STRIO BURL WOOD TEAK

V4



STRIO BURL WOOD BRICH

V3



STRIO HEACTOR WOOD NATURAL

V3



STRIO HEACTOR WOOD TEAK

V3



FLOOR

Planks



196x1200MM
04 N/Box Area: 0.94 m²

- WATER ABSORPTION
Av. E ≤ 0.08%
- WEATHER RESISTANCE
- CHEMICAL RESISTANCE
- MOR
[Min. 32 N/mm²]
- INTERIOR
- EXTERIOR


FINISH
MATT

ABRASION RESISTANCE
GROUP 5

CATEGORY
EXOTIC WOOD
COLLECTION

SOMANY
DURAGRES
Timeless Elegance

EXOTIC WOOD



STRIO ARGENT WOOD ASH


V4



FLOOR



196x1200MM
04 N/Box Area: 0.94 m²



FINISH
MATT

ABRASION RESISTANCE
GROUP 5

CATEGORY
EXOTIC WOOD
COLLECTION

EXOTIC WOOD



STRIO MOGANO WOOD MAHOGANY V3



STRIO ROVERE WOOD NATURAL V4



STRIO MOGANO WOOD TEAK V4



STRIO ROVERE WOOD ROBBLE V4



STRIO NADIA MAHOGANY V2




STRIO ROVERE WOOD TEAK V4

Planks



196x1200MM
0.4 N/Box Area: 0.94 m²



FINISH
SATIN MATT

ABRASION RESISTANCE
GROUP 4

CATEGORY
EXOTIC PREMIUM
WOOD COLLECTION

SOMANY
DURAGRES
Timeless Elegance

EXOTIC WOOD



STRIO AKONA WOOD ROBBLE*



V4



STRIO CANARIUM WOOD GREY



V4



STRIO CANARIUM WOOD ROBBLE



V4



STRIO CANARIUM WOOD TEAK



V4



EXOTIC WOOD



STRIO SALIS WOOD GRIS

V4



STRIO SALIS WOOD ROBBLE

V4



STRIO SALIS WOOD WANGE

V4

EXOTIC WOOD



STRIO TASMANIAN WOOD TEAK

V4



STRIO TASMANIAN WOOD ROBBLE

V4



STRIO VERANO WOOD TEAK

V3



196x1200MM
04 N/Box Area: 0.94 m²

- WATER ABSORPTION
Av. E ≤ 0.08%
- WEATHER
 RESISTANCE
- CHEMICAL
 RESISTANCE
- MOR
(Min. 32 N/mm²)
- INTERIOR
- EXTERIOR

FINISH: MATT+HDR WOOD
 ABRASION RESISTANCE: GROUP 5
 CATEGORY: NATURAL ROCK COLLECTION

NATURAL ROCK



STRIO TRAVERTINO BEIGE

V4



STRIO TRAVERTINO CREMA

V4



STRIO TRAVERTINO GREY


V3

Planks



196x1200MM

04 N/Box Area: 0.94 m²



FINISH
MATT+HDR WOOD

ABRASION RESISTANCE
GROUP 5

CATEGORY
MODERN WOOD
COLLECTION

SOMANY
DURAGRES
Timeless Elegance

MODERN WOOD



STRIO TREND WOOD

V4



STRIO TREND WOOD

V4



STRIO TREND WOOD

V4




STRIO TREND WOOD

V4



STRIO TREND WOOD

V4



STRIO TREND WOOD

V4



STRIO TREND WOOD

V4



RANDOM PACKING



FLOOR

PACKAGING DETAILS FOR DURAGRES WALL & FLOOR TILES

Nominal Size (mm)	No. of tiles per carton	Avg. Wt. (kg) per carton	Coverage Area per carton
300x300MM	10	15.0	0.90 Sq.mt. / 9.69 Sq.Ft.
196x1200MM	4.0	17.5	0.94 Sq.mt. / 10.12 Sq.Ft.

TECHNICAL SPECIFICATION FOR DURAGRES WALL & FLOOR TILES

Characteristics	Requirement as per ISO 13006 : 2018 Ev≤0.5% Group B1a (Annex G)	Our Value	Test Method
A) Dimensions & surface quality			
i) Length & Width	± 0.30%	± 0.10%	ISO-10545-2
ii) Thickness	± 5.0%	± 4.0%	
iii) Straightness of Side	± 0.30%	± 0.10%	
iv) Rectangularity	± 0.30%	± 0.10%	
v) Surface Flatness			
a) Center Curvature(%) (Max.Deviation)	± 0.40%	± 0.2%	
b) Edge Curvature(%) (Max.Deviation)	± 0.40%	± 0.2%	
c) Corner Warpage(%) (Max.Deviation)	± 0.40%	± 0.2%	
vi) Surface Quality	Min. 95% of tiles will be free from visible defects	Min. 95% of tiles will be free from visible defects	
B) Physical Properties			
i) Water Absorption	Av. ≤0.5 %, Individual 0.6% max	Av 0.30%	ISO 10545-3
ii) Modulus of Rupture in [N/mm ²]	Av. 35, Individual 32 Min	Avg-36	SO 10545-4
iii) Breaking Strength in N	1300	Min 1400	
iv) Moisture Expansion in mm/m	Test method available	Max 0.02	ISO-10545-10
v) Scratch Hardness of surface (Mohs)	N.A	Min 5	IS 13630 Part 13
vi) Resistance to Abrasion of glazed tiles (Class I to V)	Report Abrasion Class & cycle passed	Class IV (for Non VC),	ISO 10545-7
vii) Coefficient of linear thermal expansion from ambient temperature to 100° C	Test method available	Max 5 X 10 ⁻⁶ K ⁻¹ max	ISO 10545-8
viii) Thermal Shock Resistance	Test method available	10 cycle passed	ISO-10545-9
ix) Crazeing Resistance	Required	4 cycle passed	/ISO 10545-11
x) Impact Resistance as Co-efficient of Restitution(COR)	Test method available	0.75-0.90	ISO 10545-5
xi) Bulk Density (gm/cc)	N.A	2.3	IS 13630 Part 2
xii) Coefficient of Friction	Where required manufacturer to declare value	Depends upon Glazed surface	ISO 10545-17
xiii) Forst Resistance	Required	100 cycle passed	ISO 10545-12
C) Chemical Resistance			
i) Stain Resistance	Min Class -3	Min Class-1	ISO 10545-14
ii) Resistance to household chemicals	Min Class B	Min Class AA	ISO 10545-13
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Manufacturer is to state classification	Min Class AA	

PACKAGING DETAILS FOR DURAGRES WALL & FLOOR TILES

Nominal Size (mm)	No. of tiles per carton	Avg. Wt. (kg) per carton	Coverage Area per carton
600x600MM	4.0	27.0	1.44 Sq.mt. / 15.50 Sq.Ft.
600x1200MM	2.0	26.0	1.44 Sq.mt. / 15.50 Sq.Ft.

TECHNICAL SPECIFICATION FOR DURAGRES WALL & FLOOR TILES


Characteristics	Requirement as per IS 15622 : 2017 E≤ 0.08% Group B1a	Requirement as per ISO 13006 : 2018 Ev≤0.5% Group B1a (Annex G)	Our Value	Test Method
A) Dimensions & surface quality				
i) Length & Width	± 0.10%	± 0.30%	± 0.10%	IS 13630 Part 1/ISO-10545-2
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side	± 0.10%	± 0.30%	± 0.10%	
iv) Rectangularity	± 0.10%	± 0.30%	± 0.10%	
v) Surface Flatness				
a) Center Curvature(%) (Max.Deviation)	± 0.50%	± 0.40%	± 0.2	
b) Edge Curvature(%) (Max.Deviation)	± 0.50%	± 0.40%	± 0.2	
c) Corner Warpage(%) (Max.Deviation)	± 0.50%	± 0.40%	± 0.2	
vi) Surface Quality	Min. 95% of tiles will be free from visible defects	Min. 95% of tiles will be free from visible defects	Min. 95% of tiles will be free from visible defects	
B) Physical Properties				
i) Water Absorption	Av. E ≤0.08%, Individual 0.1 max	Av. ≤0.5 %, Individual 0.6% max	Av 0.08 %	IS 13630 Part 2/ISO 10545-3
ii) Modulus of Rupture in [N/mm ²]	Av. 35, Individual 32 Min	Av. 35, Individual 32 Min	Avg-36,	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	1300	1300	1400 Min	
iv) Moisture Expansion in mm/m	0.02	Test method available	Max 0.02	IS 13630 Part 3/ISO-10545-10
v) Scratch Hardness of surface (Mohs)	Min 5	N.A.	4-6 (Depends on surface)	IS 13630 Part 13
vi) Resistance to Abrasion of glazed tiles (Class I to V)	Min II	Report Abrasion Class & cycle passed	Class V (for VC), Class IV (for Non VC), Class III (For polished)	IS 13630 Part 11/ISO-10545-7
vii) Coefficient of linear thermal expansion from ambient temperature to 100° C	6 X 10 ⁻⁶ K ⁻¹ max	Test method available	Max 5 X 10 ⁻⁶ K ⁻¹	IS 13630 Part 4/ISO-10545-8
viii) Thermal Shock Resistance	10 cycle Min	Test method available	10 cycle passed	IS 13630 Part 5/ISO-10545-9
ix) Crazeing Resistance	4 cycle @ 7.5bar min.	Required	4 cycle passed	IS 13630 Part 9/ISO-10545-11
x) Impact Resistance as Co-efficient of Restitution(COR)	Min 0.55	Test method available	0.75-0.90	IS 13630 Part 14/ISO-10545-5
xi) Bulk Density (gm/cc)	2.2	N.A	2.3	IS 13630 Part 2
xii) Coefficient of Friction	Where required manufacturer to declare value	Where required manufacturer to declare value	Depends upon Glazed surface	ISO 10545-17
xiii) Forst Resistance	Required	Required	100 cycle passed	IS 13630 Part 10/ISO-10545-12
C) Chemical Resistance				
i) Stain Resistance	Min Class -1	Min Class -3	Min. Class-1/Class-3	IS 13630 Part 8/ISO-10545-14
ii) Resistance to household chemicals	Min Class AA	Min Class B	Min Class AA	IS 13630 Part 8/ISO-10545-13
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Manufacturer is to state classification	Min Class AA	

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see physical sample before placing the order *Technical specifications for Somany Duragres tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation, company will not entertain complaints, once the tiles are laid/fixd. Complaints will not be entertained for Borders, Highlighters & Motifs.

DESIGN, PATTERN & SHADE VARIATION GUIDE

The classification is as follow:

- V0** No Variation
- V1** Minimal Variation
- V2** Slight Variation
- V3** Random Variation
- V4** Substantial Variation
- *** For Roto Color Printing Variations are marked as R1, R2 & R3




VEILCRAFT (VC) SHIELD

Not only look and style; the buzz word for the Gen X tile is timeless elegance. Here comes the revolutionary patented "VeilCraft (VC) Shield" technology, a 'high abrasion resistant glaze composition', known as VC (VeilCraft) Shield. This is the first ever patented technology in Indian Ceramic Industry. This not only gives you the perfect aesthetics for your space but also the lifelong protection to your floor.

Result Of The abrasion test at 25,000 revolutions as per the PEI Methodology



Patent Certificate to "High Abrasion Resistant Glaze" applied on VC Shield Tiles



Dear Business Associate,
Greetings from Somany Ceramics!

Presenting Duragres Catalogue – 2023 Unit 1. This Catalogue we are presenting with utmost sincerity and with a mission to create the magic that our products have to offer.

With exciting user friendly and interactive initiatives like visually assistance of 360 degree renders-QR codes and State of the art visuals. Each page is loaded with instant information required for every tile like, Sizes, packaging, coverage and technical parametres. Be it 600X1200mm, 600X600mm, Lapato 600X600mm Tiles or newly launched 300x300mm Matching floor tiles in Slim 8MM, which are included to give breaks and easy navigation to have consumer centric approach.

Tiles are treated with special coatings / finish like Dazzle, Glossy and Lapato, which will enable to have look and feel of the product in the most realistic way possible in print.

This catalogue is also an effort to showcase all our offerings. We have wide collection of product offering in all available finish and size that market requires & industry is offering . Apart from Stone, wood and marble finish (Lapato) tiles we offer special concepts based collections like 600X1200mm Stylos and Valor series, 600X600mm Moroccan and Engravo Collection, 300X300mm Moroccan designs and special Dazzle finish tiles in various sizes. These tiles have been carved out of perfect mix of design concept , inspiration and imagination by keeping in mind consumer requirements.

We sincerely hope you will appreciate our product range and will request you to give us all relevant feedbacks for future improvement.

Happy Sales!



RAHUL SHARMA
Senior Vice President, GVT

SOMANY

Ezy Fix
TILE ADHESIVE



HIGH STRENGTH POLYMER MODIFIED TILE ADHESIVE

BENEFITS

- › READY AND EASY TO USE
- › EXCELLENT BONDING WITH ALL SURFACES
- › FAST SETTING
- › SELF-CURING

USES

- › FOR FIXING ALL TYPE OF TILES
- › FOR NEW FLOORING AND RENOVATION
- › CAN BE USED FOR TILE ON TILE

SOMANY
Bathware

Our
PORTFOLIO



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

